

Terebratula, 378.  
 Teredo, 405.  
 Tertiary formations, 31.  
 Textularia, 230, 232, 237.  
 Thalictroides Parisiensis, 190.  
 — Websteri, 190.  
 Toadstone, 47.  
 Tœniopterus, 120.  
 Trap, 47.  
 Travertine, 53.  
 Trias, or New Red System, 39.  
 Trigonia, 407.  
 Trigonocarpum, 153.  
 Tufa, 53.  
 Tunicata, 365.  
 Turritella, 373.

## U.

Unio, 409.  
 Univalves, fresh-water, 416.  
 — marine, 420.

## V.

Vegetable fossils, 63.  
 — investigation  
 of, 72.  
 — organization, 66.  
 — sections of, 68.  
 Venericardia, 398.  
 Ventriculites, 272.  
 — in chalk, 274, 276.  
 — flint, 270.  
 Verticillipora, 289.  
 Virginia, infusorial earth of, 224.  
 Volcanic rocks, 47.  
 Voltzia, 163.

## W.

Wealden clay, 35.  
 — formation, 34.  
 Wetherellia, fossil seeds of, 177.  
 — variabilis, 178.  
 Willingdon, fossil wood of, 466.  
 Wood, fossil, 63.  
 — coniferous, 168.  
 — dicotyledonous, 196.  
 — microscopical exa-  
 mination of, 78.  
 — Van Dieman's  
 Land, 169.  
 — perforated by pho-  
 lades, 404.

## X.

Xanthidia, fossil, 239.  
 — recent, 217.  
 — H. H. White, Esq.  
 on, 241.

## Z.

Zamia, 156.  
 — fossil, 157.  
 — crassa, 160.  
 — lanceolata, 161.  
 — ovata, 160.  
 — Sussexiensis, 167.  
 Zechstein, 40.  
 Zoophytes, fossil, 248.  
 — geological distribu-  
 tion of, 304.  
 Zulinosprionites latus, 179.

END OF VOL. I.