Crayford, Kent. In Drift. Elephant, Horse, &c.

- Easton, a mile and a half north of Southwold. Mastodon tooth, and Carnivora.
- Harwich, Essex. Elephant's teeth, &c.
- Herne Bay. In London clay; Hyracotherium, Chæropotamus. In alluvial clay and drift; Elephant, Whale.
- Hoe, near Plymouth, raised Beach at. Elephant, Rhinoceros, Bear, Deer, Whale, &c.
- Horstead, Norfolk. In alluvial drift. Mastodon tooth.
- Hutton Caves, near Banwell, Somersetshire. Carnivora, Pachydermata, &c. See p. 857.
- Isle of Man. The Irish Elk (Cervus euryceros).
- Kent's Cave, near Torquay. The most productive of the British ossiferous caverns (see p. 857.). Bear, Badger, Tiger, Wolf, Fox, and other Carnivora; Rhinoceros, Elephant, and other Pachydermata.
- Kirkdale, by Kirby Moorside, Yorkshire (see p. 855.). I know not if any accessible part of this celebrated cave remains.
- Kyson, near Woodbridge, Suffolk. On the side of the river Deben, about a mile from Woodbridge, in the parish of Kyson (Kingston). The strata consist of, 1. Red crag, the uppermost. 2. London clay, about twelve feet. 3. White and yellow sand. In this lower bed the relics of Monkey, Didelphys, Bat, Gigantic Mole.

Manea Fen, Cambridgeshire. Skull of Bear.

- Newbourn, Suffolk. Mastodon tooth. Leopard.
- Norwich. In alluvial silt. Mammoth's teeth and bones.
- Oreston Cave, near Plymouth. Carnivora, Wolf, Bear, Hyena, &c.
- Ostend, near Bacton, on the coast of Norfolk. In a lacustrine deposit of dark clay and greenish sand, with charred trunks and branches of trees. A section presents—1. Uppermost Drift. 2. Black earth, with shells. 3. Reddish sand. 4. Norwich crag, in patches. 5. Chalk. Nos. 2 and 3 are lacustrine; and in these beds have been found